

40297-0001

**RECEIVED  
CENTRAL FAX CENTER**

10/779,413

**DEC 11 2007**LISTING OF THE CLAIMS:

Please amend the claims as follows:

1-16 Cancelled

17. (Original) A method for remotely monitoring a residence comprising:  
generating a trigger initialized digital image in a surveillance device;  
transmitting a trigger alert signal directly to a wireless communication device over a private network ; and

enabling an image transmission between said surveillance device and said cell phone regardless of a service provider of said wireless communication device.

18. (Original) The method of claim 17, wherein said transmitting a trigger alert signal over a private network comprises:

transmitting said trigger alert signal from said surveillance device to a telephone exchange over a standard telephone line;

transmitting said trigger alert signal from said telephone exchange to a mobile telecommunications switching office; and

transmitting said trigger alert signal from said mobile telecommunications switching office to said wireless communication device over a radio frequency (RF) network.

19. (Original) The method of claim 17, wherein said trigger initialized digital image is generated in response to an input received from a sensor, wherein said sensor comprises one of an optical sensor, an infrared sensor, an ultraviolet sensor, an open circuit sensor, or a closed circuit sensor.

20. (Original) The method of claim 17, further comprising transmitting said trigger initialized digital image to said wireless communication device.

21. (Original) The method of claim 17, wherein said enabling an image transmission between said surveillance device and said cell phone regardless of a service provider comprises:

40297-0001

10/779,413

assigning a unique identification to said surveillance device; and  
obtaining recognition from a plurality of service providers of said unique  
identification as an approved image source.

22. (Original) The method of claim 21, wherein said unique identification  
comprises an electronic serial number (ESN).

23. (Original) The method of claim 21, further comprising transmitting said  
unique identification with said surveillance image data.

24. (Original) The method of claim 21, wherein said obtaining recognition from a  
plurality of service providers of said unique identification as an approved image source  
comprises designating said unique identification as an authorized private website for  
downloading images.

25. (Original) A system for remotely monitoring a desired area comprising:  
an image generating camera;  
a processing device communicatively coupled to said camera;  
a modem communicatively coupled to said processing device, said modem being  
configured to transmit images to a wireless communication device over a private network;  
and  
a data storage device communicatively coupled to said processing device;  
wherein said data storage device includes a unique identifier, said unique identifier  
being accepted by a plurality of wireless service providers as indicating an approved image  
source.

26. (Original) The system of claim 25, wherein said private network comprises a  
standard telephone line and a mobile telecommunications switching station.

27. (Original) The system of claim 25, wherein said data storage device  
comprises one of a read only memory (ROM), a random access memory (RAM), a magnetic  
RAM, a flash memory, or a subscriber identity module (SIM) card.

40297-0001

10/779,413

28. (Original) The system of claim 25, wherein said unique identifier comprises an electronic serial number (ESN).

29. (Original) The system of claim 25, further comprising:  
an activation indicator communicatively coupled to said processor; and  
a power supply coupled to said processor.

30. (Currently Amended) The system of claim ~~30~~ 29, wherein said power supply comprises:

a direct current (DC) battery; and  
a transformer configured to be coupled to 110 volt outlet.

31. (Original) The system of claim 25, wherein said image generating camera comprises a charge coupled device.